

WIT1 Polyclonal Antibody

Catalog No :	Source:	Concentration :	Mol.Wt. (Da):
A23459	Rabbit	1 mg/ml	

Applications	IHC, ELISA
Reactivity	Human
Dilution	IHC 1:50-200, ELISA(peptide)1:5000-20000
Storage	-20°C/1 year
Specificity	This antibody detects endogenous levels of human WIT1
Source / Purification	The antibody was affinity-purified from mouse ascites by affinity-chromatography using specific immunogen.
Immunogen	Synthesized peptide derived from human WIT1
Uniprot No	Q06250
Alternative names	Putative Wilms tumor upstream neighbor 1 gene protein (WIT-1) (Wilms tumor-associated antisense RNA)
Form	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Clonality	Polyclonal
Isotype	IgG
Conjugation	
Background	WT1 antisense RNA(WT1-AS) Homo sapiens This gene is located upstream of the Wilms tumor 1 (WT1) gene; these two genes are bi-directionally transcribed from the same promoter region. This gene is imprinted in kidney, with preferential expression from the paternal allele. Imprinting defects at chromosome 11p13 may contribute to tumorigenesis. [provided by RefSeq, May 2014],
Other	WT1-AS WIT1, WIT1
Product Images:	

Application Key:

WB-Western IP-Immunoprecipitation IHC-Immunohistochemistry ChIP-Chromatin Immunoprecipitation

IF-Immunofluorescence F-Flow Cytometry E-P-ELISA-Peptide

Species Cross-Reactivity Key:

H-Human M-Mouse R-Rat Hm-Hamster Mk-Monkey Vir-Virus Mi-Mink C-Chicken Dm-D. melanogaster

X-Xenopus Z-Zebrafish B-Bovine Dg-Dog Pg-Pig Sc-S. cerevisiae Ce-C. elegans Hr-Horse All-All

Species Expected

Trademarks

All product names and trademarks are the property of their respective owners.

Regulatory Disclaimer

For life science research only. Not for use in diagnostic procedures.

Contact and Support:

To ask questions, solve problems, suggest enhancements and report new applications, please visit our [Online Technical Support Site](#).

To call, write, fax, or email us, please visit www.aabsci.cn, contact information will be displayed.