

## CCK-BR rabbit pAb antibody

| Catalog No : | Source: | Concentration : | Mol.Wt. (Da): |
|--------------|---------|-----------------|---------------|
| A11817       | Rabbit  | 1 mg/ml         | 48419         |

|                              |   |
|------------------------------|---|
| <b>Applications</b>          | WB,ELISA  |
| <b>Reactivity</b>            | Human,Mouse,Rat,Monkey  |
| <b>Dilution</b>              | WB: 1:500 - 1:2000. ELISA: 1:20000. Not yet tested in other applications.   |
| <b>Storage</b>               | -20°C/1 year  |
| <b>Specificity</b>           | CCK-BR Polyclonal Antibody detects endogenous levels of CCK-BR protein.   |
| <b>Source / Purification</b> | The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.   |
| <b>Immunogen</b>             | The antiserum was produced against synthesized peptide derived from human CCKBR. AA range:11-60   |
| <b>Uniprot No</b>            | P32239  |
| <b>Alternative names</b>     | CCKBR; CCKRB; Gastrin/cholecystokinin type B receptor; CCK-B receptor; CCK-BR; Cholecystokinin-2 receptor; CCK2-R   |
| <b>Form</b>                  | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.   |
| <b>Clonality</b>             | Polyclonal  |
| <b>Isotype</b>               | IgG   |
| <b>Conjugation</b>           |   |
| <b>Background</b>            | cholecystokinin B receptor(CCKBR) Homo sapiens This gene encodes a G-protein coupled receptor for gastrin and cholecystokinin (CCK), regulatory peptides of the brain and gastrointestinal tract. This protein is a type B gastrin receptor, which has a high affinity for both sulfated and nonsulfated CCK analogs and is found principally in the central nervous system and the gastrointestinal tract. Alternative splicing results in multiple transcript variants. A misspliced transcript variant including an intron has been observed in cells from colorectal and pancreatic tumors. [provided by RefSeq, Dec 2015], |
| <b>Other</b>                 | CCKBR, Gastrin/cholecystokinin type B receptor  |

### Product Images:

**Application Key:**

WB-Western IP-Immunoprecipitation IHC-Immunohistochemistry CHIP-Chromatin Immunoprecipitation  
IF-Immunofluorescence F-Flow Cytometry E-P-ELISA-Peptide

**Species Cross-Reactivity Key:**

H-Human M-Mouse R-Rat Hm-Hamster Mk-Monkey Vir-Virus Mi-Mink C-Chicken Dm-D. melanogaster  
X-Xenopus Z-Zebrafish B-Bovine Dg-Dog Pg-Pig Sc-S. cerevisiae Ce-C. elegans Hr-Horse All-All  
Species Expected

**Trademarks**

*All product names and trademarks are the property of their respective owners.*

**Regulatory Disclaimer**

*For life science research only. Not for use in diagnostic procedures.*

**Contact and Support:**

*To ask questions, solve problems, suggest enhancements and report new applications, please visit our [Online Technical Support Site](#).*

*To call, write, fax, or email us, please visit [www.aabsci.cn](http://www.aabsci.cn), contact information will be displayed.*