

## EPG5 rabbit pAb antibody

Catalog No :	Source:	Concentration :	Mol.Wt. (Da):
A14112	Rabbit	1 mg/ml	
<b>Applications</b>	WB,IHC		
<b>Reactivity</b>	Human,Mouse,Rat		
<b>Dilution</b>	WB: 1:1000-2000 IHC: 1:200-500		
<b>Storage</b>	-20°C/1 year		
<b>Specificity</b>	The antibody detects endogenous EPG5 protein.		
<b>Source / Purification</b>	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.		
<b>Immunogen</b>	Recombinant Protein of EPG5		
<b>Uniprot No</b>	Q9HCE0		
<b>Alternative names</b>	EPG5; KIAA1632; Ectopic P granules protein 5 homolog		
<b>Form</b>	PBS, pH 7.4, containing 0.5%BSA, 0.02% sodium azide as Preservative and 50% Glycerol.		
<b>Clonality</b>	Polyclonal		
<b>Isotype</b>	IgG		
<b>Conjugation</b>			
<b>Background</b>	ectopic P-granules autophagy protein 5 homolog(EPG5) Homo sapiens This gene encodes a large coiled coil domain-containing protein that functions in autophagy during starvation conditions. Mutations in this gene cause Vici syndrome. [provided by RefSeq, Aug 2015],		
<b>Other</b>	EPG5, Ectopic P granules protein 5 homolog		

### Product Images:

#### Application Key:

WB-Western IP-Immunoprecipitation IHC-Immunohistochemistry ChIP-Chromatin Immunoprecipitation

IF-Immunofluorescence F-Flow Cytometry E-P-ELISA-Peptide

**Species Cross-Reactivity Key:**

H-Human M-Mouse R-Rat Hm-Hamster Mk-Monkey Vir-Virus Mi-Mink C-Chicken Dm-D. melanogaster

X-Xenopus Z-Zebrafish B-Bovine Dg-Dog Pg-Pig Sc-S. cerevisiae Ce-C. elegans Hr-Horse All-All

Species Expected

**Trademarks**

*All product names and trademarks are the property of their respective owners.*

**Regulatory Disclaimer**

*For life science research only. Not for use in diagnostic procedures.*

**Contact and Support:**

*To ask questions, solve problems, suggest enhancements and report new applications, please visit our [Online Technical Support Site](#).*

*To call, write, fax, or email us, please visit [www.aabsci.cn](http://www.aabsci.cn), contact information will be displayed.*