

Myc-Tag mouse mAb(5D6) antibody

Catalog No :	Source:	Concentration :	Mol.Wt. (Da):
A42036	Mouse	1 mg/ml	

Applications	WB
Reactivity	Species independent
Dilution	WB: 1:5000 -10000
Storage	-20°C/1 year
Specificity	Antibody can detect C-Myc fusion proteins.
Source / Purification	The antibody was affinity-purified from mouse ascites by affinity-chromatography using specific immunogen.
Immunogen	Synthetic peptide EQKLISEEDL coupled to KLH.
Uniprot No	
Alternative names	
Form	PBS, pH 7.4, containing 0.5%BSA, 0.02% sodium azide as Preservative and 50% Glycerol.
Clonality	Monoclonal
Isotype	
Conjugation	
Background	Myc tag is a polypeptide protein tag derived from the c-myc gene product that can be added to a protein. It can help to separate recombinant, overexpressed protein from wild type protein expressed by the host organism. Myc Tag also can be used to isolate protein complexes with multiple subunits.Myc Tag Antibody can be used in various immunoassays, such as ELISA, Western blotting, immunoprecipitation, immunofluorescence, and more.

Other

Product Images:

Application Key:

WB-Western IP-Immunoprecipitation IHC-Immunohistochemistry ChIP-Chromatin Immunoprecipitation

IF-Immunofluorescence F-Flow Cytometry E-P-ELISA-Peptide

Species Cross-Reactivity Key:

H-Human M-Mouse R-Rat Hm-Hamster Mk-Monkey Vir-Virus Mi-Mink C-Chicken Dm-D. melanogaster

X-Xenopus Z-Zebrafish B-Bovine Dg-Dog Pg-Pig Sc-S. cerevisiae Ce-C. elegans Hr-Horse All-All

Species Expected

Trademarks

All product names and trademarks are the property of their respective owners.

Regulatory Disclaimer

For life science research only. Not for use in diagnostic procedures.

Contact and Support:

To ask questions, solve problems, suggest enhancements and report new applications, please visit our [Online Technical Support Site](#).

To call, write, fax, or email us, please visit www.aabsci.cn, contact information will be displayed.