

NAA25 rabbit pAb antibody

Catalog No :	Source:	Concentration :	Mol.Wt. (Da):
A18060	Rabbit	1 mg/ml	

Applications	WB
Reactivity	Human, Mouse,Rat
Dilution	WB 1:500-2000
Storage	-20°C/1 year
Specificity	This antibody detects endogenous levels of NAA25 at Human/Mouse/Rat
Source / Purification	The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen.
Immunogen	Synthesized peptide derived from human NAA25
Uniprot No	Q14CX7
Alternative names	N-alpha-acetyltransferase 25, NatB auxiliary subunit (Mitochondrial distribution and morphology protein 20) (N-terminal acetyltransferase B complex subunit MDM20) (NatB complex subunit MDM20) (N-terminal acetyltransferase B complex subunit NAA25) (p120)
Form	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.289% sodium azide.
Clonality	Polyclonal
Isotype	IgG
Conjugation	
Background	This gene encodes the auxiliary subunit of the heteromeric N-terminal acetyltransferase B complex. This complex acetylates methionine residues that are followed by acidic or asparagine residues.[provided by RefSeq, Mar 2010],
Other	NAA25 C12orf30 MDM20 NAP1, NAA25
Product Images:	

Application Key:

WB-Western IP-Immunoprecipitation IHC-Immunohistochemistry ChIP-Chromatin Immunoprecipitation

IF-Immunofluorescence F-Flow Cytometry E-P-ELISA-Peptide

Species Cross-Reactivity Key:

H-Human M-Mouse R-Rat Hm-Hamster Mk-Monkey Vir-Virus Mi-Mink C-Chicken Dm-D. melanogaster

X-Xenopus Z-Zebrafish B-Bovine Dg-Dog Pg-Pig Sc-S. cerevisiae Ce-C. elegans Hr-Horse All-All

Species Expected

Trademarks

All product names and trademarks are the property of their respective owners.

Regulatory Disclaimer

For life science research only. Not for use in diagnostic procedures.

Contact and Support:

To ask questions, solve problems, suggest enhancements and report new applications, please visit our [Online Technical Support Site](#).

To call, write, fax, or email us, please visit www.aabsci.cn, contact information will be displayed.